

# Novolac Epoxy Chemical Tank Lining System

*For Patch Repair and Full Refurbishment*

**Classification: Type 2**



**Solvent-free, rust tolerant**, epoxy Novolac system offering excellent resistance to high temperatures and highly aggressive chemicals; e.g. methanol, ethanol and caustic soda.

This coating system, which is FDA compliant for carrying hot potable water, food & beverage is comprised of two innovative products:

- **Epo-chem™ RE 500P (Primer)**
- **Epo-chem™ RW 500 (Topcoat)**

## System Benefits:

- **Solvent-free**
- **Rust tolerant**
- Any surface preparation method can be utilised: abrasive blasting, water jetting or mechanical
- Reduced H&S and Fire Precaution
- Excellent chemical and high temperature resistance
- Reduced overall project cost and downtime
- Fast drying/curing
- Low viscosity and easy to apply by brush/roller/airless spray
- Suitable for dry-dock, crew and riding squad application
- Available in convenient 5kg and 20kg pack sizes



**Chemco have coating systems for Class 1, 2 and 3 chemical carrying covering the full pH range from 1-14.**

Rev: January 2020

East Shawhead Industrial Estate  
 Coatbridge ML5 4XD  
 Scotland United Kingdom  
**Tel:** +44 (0) 1236 606060  
**Fax:** +44 (0) 1236 606070  
**Email:** sales@chemcoint.com  
**Web Site:** www.chemcoint.com

Ref: F29